Table 1C (1) **2007 Pediatric Nutrition Surveillance** lowa

Summary of Demographic Indicators Children Aged < 5 Years

(2,3)

Total Records	Number
Individual Children	74,984
Total Records (All Visits)	125,448

Source	Number	%			
WIC EPSDT Child Health-MCH Child Health-HMO Headstart School Health Other				74,984 0 0 0 0 0 0	100.0 0.0 0.0 0.0 0.0 0.0
Total Excluded Unknown:	0	0.0	%	74,984	100.0

Page:

Run Date: 7 / 10 / 08

Race/Ethnic Distribution	N	lumber	%
White, Not Hispanic		46,286	62.3
Black, Not Hispanic		6,059	8.2
Hispanic		17,114	23.0
American Indian/Alaskan Native		251	0.3
Asian/Pacific Islander		1,005	1.4
Multiple Races		3,539	4.8
All Other		0	0.0
Total		74,254	100.0
Excluded Unknown: 730 1.0) %		

Age Distribution (4)	Number	%
0 - 5 Months 6 - 11 Months 12 - 23 Months 24 - 35 Months 3 - 4 Years	18,470 10,069 14,800 11,724 19,921	24.6 13.4 19.7 15.6 26.6
Total	74,984	100.0

% of Poverty Lev	el		Number	%
0-50			23,623	31.9
51-100			23,329	31.5
101-130			12,114	16.3
131-150			5,833	7.9
151-185			7,155	9.7
186-200			563	8.0
Over 200			1,489	2.0
Adjunctive Eligibilit	У		0	0.0
Total			74,106	100.0
Excluded Unknown:	878	1.2 %		

Program Participation	Number	%
WIC FoodStamps Medicaid TANF	74,984 74,312 74,312 74,312	28.3 69.1
Excluded Unknown:		
WIC FoodStamps Medicaid TANF	0 672 672 672	0.0 0.9 0.9 0.9

Migrant Status			Number	%
Yes			69	*
No			74,814	99.9
Total Excluded Unknown	101	0.1 %	74,883	100.0

CDC

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

Excludes records with unknown data or errors.

Records rejected if date of birth and date of visit unknown.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Health Indicators Children Aged < 5 Years (2)

5	Summary of Health	Indicators	(3)		
		lowa Prevale		National Prevalence (Prior Year)	
		Number	%	Number	%
Birthweight (4) Low High	< 2500 g > 4000 g	18,272 18,272	8.1 8.1	1,842,970 1,842,970	9.2 6.6
Height and Weight Short Stature (5)	< 5th < 10th	73,138 73,138	5.6 10.1	7,192,043 7,192,043	6.4 11.4
Underweight (6)	< 5th < 10th	73,138 73,138	3.0 5.5	7,192,043 7,192,043	4.7 8.0
Overweight (6) ≥ 2 Yrs Overweight (6)	≥ 95th 85th - < 95th ≥ 95th	73,138 31,071 31,071	13.9 17.5 14.9	7,192,043 2,945,212 2,945,212	13.8 16.4 14.8
Anemia (7) Low Hb Low Hct Low Hb/Hct	<u> 2</u>	49,231 289 49,377	8.9 9.3 8.9	4,092,770 652,304 4,521,591	14.3 10.9 14.0
Breastfeeding (8) Ever Breastfed Breastfed At Least 6 Moi Breastfed At Least 12 Mo		18,609 14,444 11,541	59.1 20.1 11.0	1,577,832 790,341 875,205	60.1 25.2 18.1
Smoking in Household ≤ 2 Hours TV Viewing/ Day	(9)	68,340 27,717	36.5 83.1	2,855,916 584,732	10.6 73.3

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Infants born during the reporting period included in the analysis.
- (5) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (6) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies children at risk of overweight.
- (7) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- (8) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (9) Children aged 2 years and older included in the analysis.
- Percentages are not calculated if < 100 records are available for analysis after exclusions.



Page:

Run Date: 7 / 10 / 08

Summary of Breastfeeding Indicators Children Aged < 5 Years (2)

Summary of Breastfeeding Indicators (3)										
	lowa Prevale		National Prevalence (Prior Year)							
	Number	%	Number	%						
Breastfeeding Duration (4,5)			•							
Ever Breastfed	18,609	59.1	1,577,832	60.1						
Breastfed 1+ Weeks Breastfed 2+ Weeks Breastfed 3+ Weeks Breastfed 4+ Weeks Breastfed 6+ Weeks	17,742 15,676 14,344 13,340 11,970	52.4 50.1 46.5 43.6 37.9	1,299,520 1,030,249 852,030 746,660 628,208	58.5 55.2 52.5 49.9 44.0						
Breastfed 2+ Months Breastfed 3+ Months Breastfed 4+ Months Breastfed 5+ Months Breastfed 6+ Months	12,040 12,954 13,626 14,843 14,444	33.1 29.0 24.2 21.3 20.1	581,374 610,380 683,087 763,521 790,341	38.7 33.8 29.9 27.0 25.2						
Breastfed 9+ Months Breastfed 12+ Months	11,449 11,541	15.9 11.0	820,087 875,205	20.7 18.1						
Breastfed 18+ Months	7,692	6.1	660,721	12.2						
Exclusive Breastfeeding (6)										
Exclusively Breastfed at Least 3 Months Exclusively Breastfed at Least 6 Months	11,901 13,102	7.1 3.1	104,492 143,261	10.3 5.6						

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date: 7 / 10 / 08

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. For each breastfeding duration category, the analysis includes only children who turned that age during the reporting period by/on their date of visit. For example, infants who turned 9 months old during the reporting period by/on their date of visit are included in the 9+ months analysis.

⁽⁵⁾ It is possible the analysis will show that slightly more infants are breastfed at older ages, e.g. 1+ week of age, than at younger ages, e.g. at birth (ever breastfed), due to variation in infants included in each breastfeeding analysis category.

⁽⁶⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

2007 Pediatric Nutrition Surveillance (1) Iowa

Comparison of Racial and Ethnic Distribution by Contributor Children Aged < 5 Years (2)

Page: Run Date: 7 / 10 / 08

	Comparison of Racial and Ethnic Distribution by Contributor										
Contributor	Number Included in	White, Not Hispanic	Black, Not Hispanic	Hispanic	American Indian/Alaskan Native	Asian/Pacific Islander	Multiple Races	All Other / Unknown			
	Analysis (3)	%	%	%	%	%	%	%			
Iowa	74,984	61.7	8.1	22.8	0.3	1.3	4.7	1.0			
Nation (Prior Year)	7,599,318	31.5	18.5	41.1	1.0	2.5	1.5	3.9			

Reporting period is January 1 through December 31.
 Analyses based on one record per child.
 Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

2007 Pediatric Nutrition Surveillance (1) lowa

Page: 7 / 10 / 08 Run Date:

Comparison of Age Distribution by Contributor Children Aged < 5 Years (2)

	Comparison of Age Distribution by Contributor									
Contributor Number Included in Analysis (3,4)		0 - 11 Months %	12 - 23 Months %	24 - 59 Months %						
lowa	74,984	38.1	19.7	42.2						
Nation (Prior Year)	7,599,318	37.6	21.8	40.6						

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.
(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 7 / 10 / 08

Comparison of Growth and Anemia Indicators by Contributor Children Aged < 5 Years (2)

	_	Comp	arison of	Growth a	nd Ane	mia Ind	icators	by Cont	ributor	(3)		
		Birthweigh	nt (4)		Height and Weight							
		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	≥ 2 Yrs Over- weight (6)			Anemia Low Hb/Hc	
Contributor	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% >95th	Number	% 85th- <95th	% >95th	Number	%
Iowa	18,272	8.1	8.1	73,138	5.6	3.0	13.9	31,071	17.5	14.9	49,377	8.9
Nation (Prior Year)	1,842,970	9.2	6.6	7,192,043	6.4	4.7	13.8	2,945,21	2 16.4	14.8	4,521,591	14.0



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Surveillance (1) Run Date:

Page:

7 / 10 / 08

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Contributor (2) Children Aged < 5 Years (3)

		Breastfeeding (5)						Exclusive Breastfeeding (6)				≤2 Hours TV Viewing/Day (7)		ng in ehold
Contributor	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%	Number	%
lowa	18,609	59.1	14,444	20.1	11,541	11.0	11,901	7.1	13,102	3.1	27,717	83.1	68,340	36.5
Nation (Prior Year)	1,577,8	32 60.1	790,341	25.2	875,205	5 18.1	104,492	10.3	143,261	5.6	584,732	73.3	2,855,910	10.6



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁶⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

⁽⁷⁾ Children ages 2 years and older included in the analyses.


Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 7 / 10 / 08

Growth and Anemia Indicators by Race/Ethnicity or Age Children Aged < 5 Years (2)

Growth and Anemia Indicators by Race/Ethnicity or Age (3)													
	Bi	rthweight (4	4)			Hei	ght and W	eight /					
		Low High % %			Short Stature (5)			≥ 2 Yrs Overweight (6)			Aner Low H	b/Hct	
	Number	<2500 g	>4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% <u>></u> 95th	Number	%	
Race/Ethnicity													
White, Not Hispanic	11,432	8.1	8.6	45,421	5.8	3.2	12.8	18,900	17.2	13.2	30,116	7.6	
Black, Not Hispanic	1,438	11.8	4.8	5,868	5.9	3.3	12.2	2,561	15.5	10.8	3,999	18.7	
Hispanic	3,735	6.8	7.9	16,622	4.8	2.1	17.9	7,630	19.1	20.3	12,086	8.4	
American Indian/Alaskan Native	65	*	*	245	2.4	3.3	15.9	103	20.4	17.5	174	10.9	
Asian/Pacific Islander	243	9.9	3.7	982	7.0	4.3	11.8	406	10.8	14.0	655	10.8	
Multiple Races	865	7.9	8.2	3,483	5.9	2.7	14.0	1,463	17.8	15.7	2,310	11.9	
All Other	494	5.9	9.7	517	7.7	4.3	10.1	8	*	*	37	*	
Total	18,272	8.1	8.1	73,138	5.6	3.0	13.9	31,071	17.5	14.9	49,377	8.9	
Age													
0 - 11 Months	_	_	_	27,515	7.9	4.4	10.8	_	*	*	5,428	13.3	
12 - 23 Months	_	_	_	14,552	5.3	1.9	17.8	_	*	*	15,908	10.7	
24 - 35 Months	-	-	_	11,564	3.8	2.2	13.4	11,564	17.1	13.4	10,790	9.2	
36 - 47 Months	-	-	-	10,070	3.8	2.3	15.5	10,070	17.6	15.5	9,610	6.6	
48 - 59 Months	-	-	-	9,437	3.8	2.3	16.0	9,437	17.9	16.0	7,641	4.7	
Total	-	-	-	73,138	5.6	3.0	13.9	31,071	17.5	14.9	49,377	8.9	

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.





⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

Page: 1 Run Date: 7 / 10 / 08

(2)

Breastfeeding, TV Viewing, and Smoking in Household by Race/Ethnicity or Age
Children Aged < 5 Years

(3)

Breastfeeding, T	V Viewin	g, and S	Smoking	in Hou	sehold by	Race/	Ethnicity	or Ag	e (4)	
			Breastfe (5)	<2 Ho TV/Vic Viewing/E	leo	Smoking in Household				
	Number % Ever Breastfed		Number % Breastfed At Least 6 Months		ı	% eastfed At east 12 Ionths	Number	%	Number	%
Race/Ethnicity										
White, Not Hispanic	11,518	57.1	9,292	16.9	7,309	9.2	17,044	85.3	42,437	43.1
Black, Not Hispanic	1,451	46.5	1,099	17.2	923	10.5	2,061	74.9	5,463	30.2
Hispanic	3,795	72.7	2,999	32.1	2,535	17.4	7,001	80.3	15,648	20.8
American Indian/Alaskan Native	65	*	39	*	31	*	97	*	222	27.5
Asian/Pacific Islander	243	65.4	186	29.6	165	15.8	320	80.3	902	19.4
Multiple Races	865	54.1	705	13.2	569	5.3	1,188	84.8	3,166	40.8
All Other	672	49.0	124	16.1	9	*	6	*	502	38.0
Total	18,609	59.1	14,444	20.1	11,541	11.0	27,717	83.1	68,340	36.5
Age										
0 - 11 Months	-	-	-	-	-	-	0	*	24,564	37.1
12 - 23 Months	-	-	-	-	-	-	0	*	13,997	36.8
24 - 35 Months	-	-	-	-	-	-	11,107	85.6	11,242	37.2
36 - 47 Months	-	-	-	-	-	-	8,714	81.9	9,785	35.2
48 - 59 Months	-	-	-	-	-	-	7,896	80.9	8,752	34.6
Total	18,609	59.1	14,444	20.1	11,541	11.0	27,717	83.1	68,340	36.5



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 7 / 10 / 08

Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years (2)

	Summary of Trends in Racial and Ethnic Distribution													
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %						
2027														
2007	74,984	61.7	8.1	22.8	0.3	1.3	4.7	1.0						
2006	72,143	61.6	7.7	22.8	0.1	1.3	3.8	2.7						
2005	66,475	72.3	8.8	16.2	0.7	2.0	0.0	0.0						
2004	67,276	73.1	8.8	15.4	0.7	2.0	0.0	0.0						
2003	69,455	74.9	8.1	14.3	0.5	2.1	0.0	0.0						
2002	64,106	75.8	8.4	13.4	0.6	1.9	0.0	0.0						
2001	62,299	76.6	8.4	12.6	0.6	1.8	0.0	0.0						
2000	61,001	77.5	8.3	11.8	0.6	1.9	0.0	0.0						
1999	63,327	78.9	7.8	10.7	0.6	2.0	0.0	0.0						
1998	66,580	80.1	7.6	9.7	0.6	2.1	0.0	0.0						
1997	66,575	80.8	7.8	8.8	0.5	2.1	0.0	0.0						
1996	85,076	80.7	8.5	8.1	0.6	2.1	0.0	0.0						
1995	92,976	82.5	8.1	6.8	0.5	2.1	0.0	0.0						
1994	60,495	82.9	8.7	5.7	0.6	2.1	0.0	0.0						
1993	63,749	84.7	8.2	4.6	0.6	1.9	0.0	0.0						
1992	63,266	85.8	8.0	3.7	0.7	1.8	0.0	0.0						
1991	59,645	86.5	7.9	3.1	0.7	1.8	0.0	0.0						
1990	54,815	87.1	7.6	2.6	0.7	1.9	0.0	0.0						
1989	52,533	87.4	7.6	2.3	0.7	1.9	0.0	0.0						

⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 7 / 10 / 08

Summary of Trends in Racial and Ethnic Distribution Children Aged < 5 Years (2)

	Summary of Trends in Racial and Ethnic Distribution													
Year	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %						
1988	47,844	88.0	7.5	1.9	0.7	1.9	0.0	0.0						
1987	44,271	88.3	7.3	1.9	0.6	1.9	0.0	0.0						
1986	45,047	88.7	6.8	1.9	0.6	2.0	0.0	0.0						
1985	42,644	88.9	6.8	1.8	0.6	2.0	0.0	0.0						
1984	38,544	88.0	7.3	2.0	0.6	2.1	0.0	0.0						
1983	39,397	87.9	7.0	2.1	0.6	2.4	0.0	0.0						
1982	38,866	86.5	7.7	2.4	0.8	2.7	0.0	0.0						
1981	11,322	83.4	9.7	2.6	1.0	3.3	0.0	0.0						

⁽¹⁾ Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with errors.
* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Age Distribution Children Aged < 5 Years (2)

Summary of Trends in Age Distribution (3)										
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %						
2007	74,984	38.1	19.7	42.2						
2006	72,143	38.9	18.4	42.7						
2005	66,475	35.8	19.5	44.8						
2004	67,276	34.9	19.5	45.6						
2003	69,455	30.6	21.2	48.3						
2002	64,106	35.7	19.5	44.7						
2001	62,299	36.3	19.5	44.2						
2000	61,001	36.6	19.3	44.1						
1999	63,327	36.1	18.8	45.1						
1998	66,580	35.7	18.8	45.5						
1997	66,575	34.4	18.6	47.0						
1996	85,076	33.2	19.5	47.3						
1995	92,976	34.0	19.3	46.7						
1994	60,495	33.7	19.0	47.3						
1993	63,749	33.7	19.3	47.0						
1992	63,266	34.3	19.7	46.0						
1991	59,645	35.5	19.8	44.7						
1990	54,815	35.2	19.5	45.3						



Page:

Run Date: 7 / 10 / 08

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Records rejected if date of birth and date of visit unknown.
 (4) Excludes records with unknown data or errors.
 * Percentages are not calculated if < 100 records are available for analysis after exclusions.

lowa Summary of Trends in Age Distribution Children Aged < 5 Years (2)		
mmary of Trends in Age Distribution	(3)	_

	Summary of Trends in Age Distribution (3)											
Year	Number Included in Analysis (4)	0-11 Months %	12-23 Months %	24-59 Months %								
1989	52,533	34.7	18.9	46.4								
1988	47,844	34.0	19.5	46.5								
1987	44,271	35.0	21.3	43.7								
1986	45,047	35.7	21.6	42.7								
1985	42,644	34.9	20.3	44.8								
1984	38,544	35.6	21.3	43.1								
1983	39,397	34.6	19.4	46.0								
1982	38,866	31.9	19.5	48.6								
1981	11,322	29.6	21.5	48.9								



Page:

Run Date: 7 / 10 / 08

 ⁽¹⁾ Reporting period is January 1 through December 31.
 (2) Analyses based on one record per child.
 (3) Records rejected if date of birth and date of visit unknown.
 (4) Excludes records with unknown data or errors.
 Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 7/10/2008

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)													
	В	irthweight (4)			Hei	ght and V	/eight			Anemia Low Hb/Hct (7)			
Year		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		>_2 Yrs Overweight (6)					
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th	Number	%		
2007	18,272	8.1	8.1	73,138	5.6	3.0	13.9	31,071	17.5	14.9	49,377	8.9		
2006	17,935	8.8	7.7	70,491	5.8	2.8	13.9	30,161	17.9	14.6	43,572	9.4		
2005	15,219	8.1	8.2	65,022	5.7	2.8	14.1	29,114	17.1	14.2	40,151	9.7		
2004	16,135	7.8	8.1	65,753	5.8	2.5	14.3	29,971	17.5	14.6	42,789	10.2		
2003	12,891	7.5	8.7	68,032	5.8	2.5	14.1	32,913	17.7	13.9	35,173	10.0		
2002	15,090	8.1	9.1	62,631	5.9	2.7	13.5	28,074	16.7	13.6	41,587	8.8		
2001	14,851	7.9	9.3	60,806	5.6	2.9	13.2	27,027	16.8	13.2	40,550	9.0		
2000	14,702	7.8	9.6	59,612	5.4	2.8	12.5	26,439	16.4	12.3	42,278	9.1		
1999	14,806	7.4	9.8	61,904	5.2	3.0	11.9	27,970	15.8	11.6	45,234	8.9		
1998	15,481	7.8	10.4	64,959	5.1	3.1	11.2	29,788	15.9	10.6	48,222	10.0		

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 2 Run Date: 7/10/2008

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)													
	В	irthweight ((4)			Hei	ght and W	/ eight			Anemia Low Hb/Hct			
Year		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)	> 2 Yrs Overweight (6)			(7)			
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%		
1997	15,192	7.5	9.9	55,311	5.3	3.4	11.4	26,195	15.8	10.7	48,067	10.2		
1996	17,424	7.4	10.1	78,634	5.4	3.3	11.3	37,980	15.6	10.4	60,871	11.0		
1995	19,987	7.3	9.8	91,046	5.2	3.0	10.7	42,824	15.0	9.6	65,710	11.6		
1994	13,146	7.1	10.1	59,813	5.3	2.7	11.2	28,419	15.0	9.4	46,044	6.5		
1993	13,824	7.5	10.2	63,098	5.4	2.6	11.0	29,792	14.9	9.1	49,301	5.0		
1992	14,041	7.3	10.7	62,644	5.1	2.8	10.2	28,948	14.9	8.3	48,367	4.8		
1991	13,958	7.3	10.3	59,052	5.1	3.2	9.1	26,461	13.8	7.5	45,718	5.4		
1990	12,582	7.1	10.8	54,311	5.2	3.2	9.3	24,584	14.9	8.2	41,942	5.1		
1989	12,087	7.2	10.4	52,034	5.5	3.3	9.2	24,195	14.7	7.9	41,153	4.6		
1988	10,683	7.5	10.6	47,451	5.2	3.9	8.3	22,180	13.1	7.3	37,717	5.3		

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 3 Run Date: 7/10/2008

Summary of Trends in Growth and Anemia Indicators Children Aged < 5 Years (2)

	Summary of Trends in Growth and Anemia Indicators (3)													
	Ві	rthweight (4)			Heiç	ght and W	/ eight			Anemia Low Hb/Hct			
Year		Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		>_2 Yrs Overweight (6)		(7)			
	Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th-<95th	% ≥95th	Number	%		
1987	10,166	7.0	10.8	43,890	5.5	3.9	8.7	19,249	13.3	7.5	34,139	6.4		
1986	10,503	7.4	10.4	44,659	5.3	4.2	8.6	19,190	13.0	7.4	35,865	6.8		
1985	9,690	7.4	10.4	42,263	5.5	3.8	8.3	18,992	14.0	7.2	33,853	6.9		
1984	8,963	7.1	10.3	38,168	5.7	4.3	8.0	16,551	13.6	7.1	30,073	7.8		
1983	8,920	7.4	10.4	38,976	5.7	4.7	8.0	17,940	13.2	6.8	31,321	8.6		
1982	8,391	7.0	10.4	38,378	6.0	4.4	9.1	18,679	15.1	7.8	30,432	9.2		
1981	2,994	7.7	9.4	11,180	6.3	4.2	9.6	5,482	16.1	8.4	8,682	10.6		



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Summary of Trends in Breastfeeding (3)														
		Breastfeeding (4)													
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months									
2007	18,609	59.1	14,444	20.1	11,541	11.0									
2006	0	*	0	*	0	*									
2005	15,252	57.7	9,856	23.8	8,682	16.5									
2004	16,169	56.7	10,496	24.1	9,680	16.5									
2003	12,913	56.3	7,144	25.3	7,450	17.7									
2002	15,117	55.7	9,640	23.2	8,927	16.8									
2001	14,888	55.0	10,103	22.2	8,891	16.2									
2000	14,721	52.9	10,198	21.1	8,467	14.4									
1999	14,848	51.5	10,175	21.0	8,492	15.1									
1998	15,506	50.7	10,801	18.9	8,691	13.4									

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date: 7/10/2008

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Summary of Trends in Breastfeeding Children Aged < 5 Years (2)

	Sı	ımmary of	Trends ir	n Breastfe	eding (3)	
			Breas	stfeeding (4)		
Year	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
1997	15,212	47.8	10,797	18.9	8,904	13.2
1996	14,392	46.8	9,476	17.6	7,414	11.7
1995	7,695	48.0	4,212	18.4	2,453	10.6



Page:

Run Date: 7/10/2008

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 14C 2007 Pediatric Nutrition Surveillance lowa Children Aged < 5 Years

Page: 1 Run Date: 7 / 10 / 08

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Table 15C
2007 Pediatric Nutrition Surveillance lowa
Children Aged < 5 Years

Page: 1 Run Date: 7 / 10 / 08

This table is forthcoming. It may present changes over time in the prevalence of short stature, underweight, overweight, or anemia among cohorts of children participating in the PedNSS.

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 1 Run Date: 7/10/2008

	G	arowth Inc	licators by F	Race/Ethn	icity and A	ge ⁽³⁾			
	Short S		Underw (5)		Overwei (5)	ight	≥ 2	2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% <u>></u> 95th
White, Not Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months	17,495 9,026 18,900	7.7 5.9 4.1	17,495 9,026 18,900	4.7 2.1 2.4	17,495 9,026 18,900	10.2 16.7 13.2	0 0 18,900	0.0 0.0 17.2	0.0 0.0 13.2
Total	45,421	5.8	45,421	3.2	45,421	12.8	18,900	17.2	13.2
Black, Not Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months Total	2,100 1,207 2,561 5,868	10.8 4.5 2.6 5.9	2,100 1,207 2,561 5,868	4.3 1.9 3.2 3.3	2,100 1,207 2,561 5,868	11.1 16.9 10.8 12.2	0 0 2,561 2,561	0.0 0.0 15.5 15.5	0.0 0.0 10.8 10.8
Hispanic 0 - 11 Months 12 - 23 Months 24 - 59 Months	5,608 3,384 7,630 16,622	6.8 4.2 3.5 4.8	5,608 3,384 7,630 16,622	3.5 1.3 1.4 2.1	5,608 3,384 7,630 16,622	12.6 21.0 20.3 17.9	0 0 7,630 7,630	0.0 0.0 19.1 19.1	0.0 0.0 20.3 20.3
American Indian/Alaskan Native 0 - 11 Months 12 - 23 Months 24 - 59 Months	90 52 103	* * 1.0	90 52 103	* * 3.9	90 52 103	* * 17.5	0 0 103	* * 20.4	* * 17.5
Total	245	2.4	245	3.3	245	15.9	103	20.4	17.5

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Growth Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2) Page: 2 Run Date: 7/10/2008

	G	rowth Inc	licators by F	Race/Ethn	icity and A	ge ⁽³⁾			
	Short St		Underw (5)	•	Overwei (5)	ght	≥ 2	2 Yrs Overweight (5)	
	Number	% <5th	Number	% <5th	Number	% ≥95th	Number	% 85th - <95th	% ≥95th
Asian/Pacific Islander 0 - 11 Months 12 - 23 Months 24 - 59 Months	367 209 406	8.7 4.8 6.7	367 209 406	5.2 3.8 3.7	367 209 406	9.5 11.5 14.0	0 0 406	0.0 0.0 10.8	0.0 0.0 14.0
Total	982	7.0	982	4.3	982	11.8	406	10.8	14.0
Multiple Races 0 - 11 Months 12 - 23 Months 24 - 59 Months	1,354 666 1,463 3,483	8.9 5.1 3.4 5.9	1,354 666 1,463 3,483	4.0 1.7 2.1 2.7	1,354 666 1,463 3,483	10.3 18.2 15.7 14.0	0 0 1,463 1,463	0.0 0.0 17.8 17.8	0.0 0.0 15.7 15.7
All Other/Unknown 0 - 11 Months 12 - 23 Months 24 - 59 Months Total	501 8 8 517	7.8 * * 7.7	501 8 8 517	4.4 * * 4.3	501 8 8 517	10.2 * * 10.1	0 0 8 8	0.0	0.0
Total All Race/Ethnic Groups 0 - 11 Months 12 - 23 Months 24 - 59 Months Total	27,515 14,552 31,071 73,138	7.9 5.3 3.8 5.6	27,515 14,552 31,071 73,138	4.4 1.9 2.2 3.0	27,515 14,552 31,071 73,138	10.8 17.8 14.9 13.9	0 0 31,071 31,071	0.0 0.0 17.5 17.5	0.0 0.0 14.9 14.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Anemia Indicators by Race/Ethnicity and Age Children Aged < 5 Years (2)

Page: Run Date: 7 / 10 / 08

	Anemia	Indicators	y Race/Ethnicity and Age (3, 4)		
		Anemia Low Hb/Hct			Anemia Low Hb/Hct
	Number	%		Number	%
White, Not Hispanic			Asian/Pacific Islander		
6 - 11 Months	3,493	12.1	6 - 11 Months	84	*
12 - 17 Months	6,353	9.9	12 - 17 Months	145	11.7
18 - 23 Months	3,442	7.6	18 - 23 Months	68	*
24 - 35 Months	6,523	7.4	24 - 35 Months	126	15.1
36 - 59 Months	10,305	4.8	36 - 59 Months	232	9.1
Total	30,116	7.6	Total	655	10.8
Black, Not Hispanic			Multiple Races		
6 - 11 Months	388	19.6	6 - 11 Months	234	17.1
12 - 17 Months	818	19.8	12 - 17 Months	501	15.0
18 - 23 Months	456	24.1	18 - 23 Months	253	16.6
24 - 35 Months	887	20.9	24 - 35 Months	535	11.4
36 - 59 Months	1,450	14.8	36 - 59 Months	787	7.1
Total	3,999	18.7	Total	2,310	11.9
Hispanic			All Other/Unknown		
6 - 11 Months	1,182	14.8	6 - 11 Months	24	*
12 - 17 Months	2,394	11.2	12 - 17 Months	3	*
18 - 23 Months	1,411	8.6	18 - 23 Months	5	*
24 - 35 Months	2,691	9.1	24 - 35 Months	2	*
36 - 59 Months	4,408	4.7	36 - 59 Months	3	*
Total	12,086	8.4	Total	37	*
American Indian/Alaskan Native			Total All Race/Ethnic Groups		
6 - 11 Months	23	*	6 - 11 Months	5,428	13.3
12 - 17 Months	26	*	12 - 17 Months	10,240	11.3
18 - 23 Months	33	*	18 - 23 Months	5,668	9.6
24 - 35 Months	26	*	24 - 35 Months	10,790	9.2
36 - 59 Months	66	*	36 - 59 Months	17,251	5.8
Total	174	10.9	Total	49,377	8.9



⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 7 / 10 / 08

	Sumi	mary of 1	Trends in	n Growt	h and Ar	nemia In	dicato	rs by F	Race/Etl	nnicity (3)			
Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Weight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% n ≥95th	Number	%
White, Not Hispanic	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	11,432 11,436 11,303 11,898 9,831 11,544 11,555 11,554 11,829 12,628	8.1 8.9 8.0 8.0 7.4 8.4 7.7 7.7 7.3 7.6	8.6 8.1 8.6 8.5 9.1 9.3 9.8 10.2 10.1 11.0	45,421 43,644 47,022 48,116 51,057 47,460 46,622 46,216 48,886 52,118	5.8 6.2 5.9 6.0 5.9 6.1 5.7 5.5 5.2	3.2 3.1 2.9 2.6 2.7 2.8 3.0 3.0 3.2	12.8 12.6 13.3 13.5 13.5 12.8 12.7 12.0 11.5 10.7	18,900 18,634 20,716 21,643 24,540 21,089 20,471 20,273 21,832 23,593	17.2 17.6 17.0 17.5 17.4 16.8 16.7 16.3 15.5	13.2 13.1 13.1 13.6 13.2 12.7 12.5 11.6 11.0 9.9	30,116 26,474 28,571 31,042 25,999 31,419 30,938 32,657 35,705 38,578	7.6 7.7 8.3 8.7 8.8 7.8 8.0 7.9 7.9
Black, Not Hispanic	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	1,438 1,317 1,297 1,489 1,037 1,233 1,191 1,144 1,045 1,071	11.8 11.2 12.0 10.4 10.6 9.4 13.0 11.7 10.2 12.1	4.8 4.2 4.3 4.7 5.0 6.3 5.4 4.7 6.2 5.2	5,868 5,419 5,711 5,771 5,500 5,227 5,091 4,886 4,782 4,869	5.9 5.6 6.1 5.7 5.6 6.1 5.8 5.9 5.9	3.3 3.5 3.7 3.4 3.2 3.7 3.4 3.1 3.1	12.2 12.5 12.9 12.9 13.2 12.6 12.2 12.3 10.7 11.0	2,561 2,436 2,625 2,694 2,734 2,411 2,395 2,326 2,318 2,429	15.5 15.6 15.1 16.1 16.8 14.8 16.6 15.6 14.9	10.8 12.2 12.3 12.2 11.9 12.2 11.9 11.3 10.5 11.1	3,999 3,500 3,567 3,671 2,943 3,419 3,325 3,462 3,463 3,556	18.7 20.7 18.8 18.3 17.4 15.0 15.4 17.0 16.3 15.7



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 2 Run Date: 7 / 10 / 08

	Sumi	mary of 1	rends ir	n Growtl	h and Ar	nemia In	dicato	rs by F	Race/Etl	hnicity ⁽³⁾		_	
Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and \	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% ≥95th	Number	%
Hispanic	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	3,735 3,506 2,213 2,273 1,615 1,869 1,732 1,601 1,505 1,372	6.8 7.0 6.0 5.8 6.3 5.2 5.7 5.7 6.0 6.3	7.9 8.1 8.7 9.3 9.0 10.1 9.6 9.7 11.0	16,622 16,018 10,544 10,092 9,671 8,395 7,627 7,015 6,600 6,265	4.8 4.7 4.4 4.5 4.7 4.8 4.6 4.8 4.8	2.1 1.8 1.8 1.4 1.3 1.6 1.6 1.6 1.9 2.0	17.9 18.0 18.8 19.1 18.7 18.5 17.7 16.8 16.2 15.3	7,630 7,370 5,029 4,892 4,901 3,944 3,555 3,233 3,138 3,017	19.1 19.6 18.7 18.9 20.2 17.6 18.1 17.8 18.7	20.3 19.3 20.5 20.7 19.4 19.9 18.4 17.5 17.0 15.8	12,086 10,782 6,914 6,960 5,328 5,796 5,361 5,140 4,906 4,836	8.4 9.6 10.6 11.8 10.6 9.8 9.6 10.5 9.7 11.5
American Indian/Alaskan Native	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	65 17 117 114 81 110 84 81 113 86	* 8.5 4.4 * 4.5 * 4.4	12.0 7.9 * 15.5 * 18.6	245 35 467 443 354 382 357 357 387 366	2.4 * 3.6 4.5 5.1 5.0 5.3 2.8 4.1 4.6	3.3 * 2.8 2.0 2.0 2.4 2.5 2.2 3.1 2.7	15.9 * 17.8 22.3 17.2 12.6 12.0 16.8 14.5 15.6	103 12 201 190 138 166 157 153 160 153	20.4 * 17.4 15.8 26.1 21.7 16.6 18.3 20.0 22.9	17.5 * 15.9 20.5 13.8 13.9 12.1 20.9 13.8 20.3	174 20 288 273 173 230 232 256 280 269	10.9 * 8.7 19.0 18.5 14.8 12.1 15.2 11.8 9.7



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 3 Run Date: 7 / 10 / 08

Race/Ethnicity and Year		1	Birthweight					ght and \		nnicity (3)		A	
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Ane Low H (7	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% <u>></u> 95th	Number	% 85th - <95th	% ≥95th	Number	%
Asian/Pacific Islander	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	243 246 289 361 327 334 289 322 314 324	9.9 12.2 12.1 5.3 9.2 8.1 7.3 9.6 9.2 5.6	3.7 3.3 3.8 4.7 4.3 3.3 3.1 5.0 3.8 3.4	982 929 1,278 1,331 1,450 1,167 1,109 1,138 1,249 1,341	7.0 7.5 8.8 7.3 7.8 7.2 6.2 7.6 5.4	4.3 3.8 4.2 3.9 3.7 3.4 3.6 3.3 4.4	11.8 10.5 9.6 11.1 10.4 9.8 10.1 10.0 8.8 7.7	406 396 543 552 600 464 449 454 522 596	10.8 11.4 12.9 14.3 15.2 14.0 14.0 13.0 13.0	14.0 10.9 7.4 11.4 11.0 12.1 10.0 10.4 10.2 8.4	655 607 811 843 730 723 694 763 880 983	10.8 11.7 13.4 15.2 14.9 12.0 13.5 14.3 13.0 14.8
Multiple Races	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	865 779 0 0 0 0 0 0	7.9 11.2 * * * * * *	8.2 5.5 * * * * * * * * *	3,483 2,720 0 0 0 0 0 0 0	5.9 5.6 * * * * * * * *	2.7 3.1 * * * * * * * * *	14.0 14.1 * * * * * * * * * * * * * * * * * * *	1,463 1,109 0 0 0 0 0 0 0	17.8 17.0 * * * *	15.7 13.2 * * * * * * * * *	2,310 1,616 0 0 0 0 0 0 0	11.9 12.4 * * * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 4 Run Date: 7 / 10 / 08

Race/Ethnicity and Year		E	Birthweight	(4)			Hei	ght and V	Veight			Aner	mia
			Low	High		Short Stature (5)	Under- weight (6)	Over- weight (6)		≥ 2 Yrs Overweight (6)		Low H	b/Hct
		Number	% <2500 g	% >4000 g	Number	% <5th	% <5th	% ≥95th	Number	% 85th - <95th	% n <u>></u> 95th	Number	%
All Other/Unknown	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	494 634 0 0 0 0 0 0 0	5.9 7.1 * * * * *	9.7 9.1 * * * * * *	517 1,726 0 0 0 0 0 0 0	7.7 6.0 * * * * *	4.3 3.2 * * * * * * * * *	10.1 14.9 * * * * * * *	8 204 0 0 0 0 0 0 0 0	25.0 * * * * * * * *	* 16.7 * * * * * * * * * * * * * * * * * * *	37 573 0 0 0 0 0 0 0	9.6 * * * * * *
Total All Race/Ethnic Groups	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	18,272 17,935 15,219 16,135 12,891 15,090 14,851 14,702 14,806 15,481	8.1 8.8 8.1 7.8 7.5 8.1 7.9 7.8 7.4 7.8	8.1 7.7 8.2 8.1 8.7 9.1 9.3 9.6 9.8	73,138 70,491 65,022 65,753 68,032 62,631 60,806 59,612 61,904 64,959	5.6 5.8 5.7 5.8 5.9 5.6 5.4 5.2	3.0 2.8 2.8 2.5 2.5 2.7 2.9 2.8 3.0 3.1	13.9 13.9 14.1 14.3 14.1 13.5 13.2 12.5 11.9 11.2	31,071 30,161 29,114 29,971 32,913 28,074 27,027 26,439 27,970 29,788	17.5 17.9 17.1 17.5 17.7 16.7 16.8 16.4 15.8 15.9	14.9 14.6 14.2 14.6 13.9 13.6 13.2 12.3 11.6 10.6	49,377 43,572 40,151 42,789 35,173 41,587 40,550 42,278 45,234 48,222	8.9 9.4 9.7 10.2 10.0 8.8 9.0 9.1 8.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the analysis.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

⁽⁷⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: Run Date: 7 / 10 / 08

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Si	ummary of Tren	ds in Brea	stfeeding In	dicators by	/ Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
White, Not Hispanic	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	11,518 0 11,320 11,914 9,848 11,551 11,587 11,562 11,850 12,640	57.1 * 55.3 53.9 54.4 53.5 53.3 51.5 49.9 49.8	9,292 0 7,373 7,914 5,482 7,507 7,892 8,044 8,276 8,850	16.9 * 21.1 21.6 22.9 21.5 20.8 19.8 19.9 18.3	7,309 0 6,165 7,112 5,439 6,747 6,796 6,513 6,737 6,942	9.2 * 14.5 15.1 16.0 15.7 15.4 13.8 15.0 13.1
Black, Not Hispanic	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	1,451 0 1,306 1,499 1,044 1,238 1,194 1,151 1,055 1,075	46.5 * 46.7 45.3 43.5 46.9 44.4 42.6 42.1 40.7	1,099 0 734 793 480 701 706 709 623 672	17.2 * 17.0 17.5 20.2 15.8 16.9 17.1 15.9 12.4	923 0 816 818 622 732 735 671 627 626	10.5 * 11.2 10.5 13.2 11.2 11.0 11.8 8.6 8.6



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 2 Run Date: 7 / 10 / 08

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Sumr	mary of Tren	ds in Brea	stfeeding In	dicators by	Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Hispanic	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	3,795 0 2,218 2,279 1,613 1,878 1,735 1,604 1,513 1,382	72.7 * 76.0 76.7 74.6 75.5 73.4 71.3 70.4 68.4	2,999 0 1,501 1,496 972 1,196 1,253 1,198 1,013 982	32.1 * 39.1 39.3 37.3 33.9 32.1 31.6 28.1	2,535 0 1,457 1,478 1,122 1,235 1,137 1,067 915 891	17.4 * 27.3 25.7 28.3 25.3 23.9 19.8 20.7 18.4
American Indian/Alaskan Native	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	65 0 120 114 81 114 84 81 113	55.8 59.6 * 43.9 * 46.9	39 0 54 73 47 71 56 56 57 63	* * * * * * * * *	31 0 63 60 60 42 53 57 48 54	* * * * * * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 3 Run Date: 7 / 10 / 08

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

S	ummary of Tren	ds in Brea	stfeeding In	dicators by	/ Race/Ethnic	city (3)	
Race/Ethnicity and Year				Brea	astfeeding (4)		
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months
Asian/Pacific Islander	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	243 0 288 363 327 336 288 323 317 323	65.4 * 62.2 66.9 63.3 56.0 57.3 51.1 53.3 48.0	186 0 194 220 163 165 196 191 206 234	29.6 * 34.0 38.6 39.9 27.3 23.5 23.6 28.6 21.8	165 0 181 212 207 171 170 159 165 178	15.8 * 23.8 23.6 19.3 19.9 17.6 15.7 15.2 16.3
Multiple Races	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	865 0 0 0 0 0 0 0	54.1	705 0 0 0 0 0 0 0 0	13.2 * * * * * * * * *	569 0 0 0 0 0 0 0	5.3 * * * * * *



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 4 Run Date: 7 / 10 / 08

Summary of Trends in Breastfeeding Indicators by Race/Ethnicity Children Aged < 5 Years (2)

Sum	mary of Tren	ds in Brea	stfeeding In	dicators by	/ Race/Ethnic	city (3)					
Race/Ethnicity and Year		Breastfeeding (4)									
		Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months				
All Other/Unknown	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	672 0 0 0 0 0 0 0 0	49.0	124 0 0 0 0 0 0 0 0	16.1	9 0 0 0 0 0 0	* * * * * * * * * *				
Total All Race/Ethnic Groups	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	18,609 0 15,252 16,169 12,913 15,117 14,888 14,721 14,848 15,506	59.1 * 57.7 56.7 56.3 55.7 55.0 52.9 51.5 50.7	14,444 0 9,856 10,496 7,144 9,640 10,103 10,198 10,175 10,801	20.1 * 23.8 24.1 25.3 23.2 22.2 21.1 21.0 18.9	11,541 0 8,682 9,680 7,450 8,927 8,891 8,467 8,492 8,691	11.0 * 16.5 16.5 17.7 16.8 16.2 14.4 15.1 13.4				



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 1 Run Date: 7 / 10 / 08

Summary of Trends in Growth Indicators by Age Children Aged < 5 Years (2)

				Su	mmary	of Tren	ds in	Gro	wth Indicators	by Ag	e (3)					
Age and Year *			Heig	ht and V	Veight				Age and Year *			Heig	ht and V	/eight		
	Short Under- Over- Stature weight weight (4) (5) (5)			≥ 2 Yrs Overweight (5)					Short Stature (4)	Under- weight (5)	Over- weight (5)	(≥ 2 Yrs Overweight (5)			
	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th			Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th
0 - 11 Months									24 - 35 Months							
2007 2006	27,515 27,206	7.9 7.9	4.4 4.0	10.8 11.2	0	*	*		2007 2006	11,564 11,166	3.8 4.1	2.2 2.2	13.4 12.7	11,564 11,166	17.1 17.4	13.4 12.7
2005 2004	23,088 22,696	8.1 8.3	3.7 3.3	12.2 11.9	0 0	*	*		2005 2004	10,771 11,045	4.0 4.5	2.5 2.4	12.3 13.2	10,771 11,045	16.8 16.7	12.3 13.2
2003 2002	20,612 22,203	8.0 8.4	3.1 3.3	12.3 11.6	0 0	*	*		2003 2002	12,747 10,451	4.7 4.5	2.4 2.6	12.5 11.9	12,747 10,451	17.1 16.4	12.5 11.9
2001	21,886	7.7	3.5	11.6	0	*	*		2001	10,118	4.0	2.7	11.6	10,118	15.7	11.6
2000 1999 1998	21,661 22,093 22,776	7.4 7.0 6.8	3.3 3.4 3.5	11.1 10.5 10.0	0 0 0	* *	* *		2000 1999 1998	9,786 10,221 10,658	3.4 3.6 3.9	3.0 3.1 3.3	11.0 10.3 9.3	9,786 10,221 10,658	15.3 15.3 14.6	11.0 10.3 9.3
12 - 23 Months									36 - 47 Months							
2007 2006	14,552 13,124	5.3 5.5	1.9 1.9	17.8 18.0	0 0	*	*		2007 2006	10,070 9,766	3.8 4.2	2.3 2.2	15.5 15.1	10,070 9,766	17.6 17.8	15.5 15.1
2005 2004	12,820 13.086	5.3 5.0	2.0 1.7	17.1 17.9	0 0	*	*		2005 2004	9,641 9.796	4.2 4.2	2.9 2.5	15.2 15.0	9,641 9.796	16.3 17.4	15.2 15.0
2003 2002	14,507 12,354	5.4 5.2	2.1 2.0	17.2 16.6	0	*	*		2003 2002	11,203 9,273	4.7 4.6	2.3 2.7	14.4 14.0	11,203 9,273	17.7 16.8	14.4 14.0
2001 2000	11,893 11,512	4.8 4.9	2.0 2.1	16.1 15.9	0	*	*		2001 2000	8,843 8,647	4.4 4.6	2.9 2.8	13.6 12.6	8,843 8,647	17.4 16.8	13.6 12.6
1999 1998	11,841 12,395	4.4 4.5	2.2 2.4	14.9 14.6	0	*	*		1999 1998	9,055 9,733	4.6 4.6	2.9 3.0	11.8 11.0	9,055 9,733	15.9 16.3	11.8 11.0



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 20C 2007 Pediatric Nutrition Surveillance lowa

Summary of Trends in Growth Indicators by Age
Children Aged < 5 Years (2)

Page: 2 Run Date: 7 / 10 / 08

				Su	mmary	y of Tren	ds in
Age and Year *			Heigl	nt and V	Veight		
		Short Stature (4)	Under- weight (5)	Over- weight (5)		\geq 2 Yrs Overweight (5)	
	Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th
48 - 59 Months							
2007	9,437	3.8	2.3	16.0	9,437	17.9	16.0
2006	9,229	3.8	2.1	16.3	9,229	18.5	16.3
2005	8,702	3.8	2.3	15.5	8,702	18.2	15.5
2004	9,130	3.9	2.1	15.9	9,130	18.6	15.9
2003	8,963	4.0	2.4	15.4	8,963	18.6	15.4
2002	8,350	3.9	2.7	15.4	8,350	17.2	15.4
2001	8,066	4.3	2.6	14.8	8,066	17.7	14.8
2000	8,006	4.3	2.5	13.6	8,006	17.3	13.6
1999	8,694	4.0	3.2	13.0	8,694	16.3	13.0
1998	9,397	4.1	2.9	11.8	9,397	17.0	11.8
Total All Age Groups							
2007	73,138	5.6	3.0	13.9	31,071	17.5	14.9
2006	70,491	5.8	2.8	13.9	30,161	17.9	14.6
2005	65,022	5.7	2.8	14.1	29,114	17.1	14.2
2004	65,753	5.8	2.5	14.3	29,971	17.5	14.6
2003	68,032	5.8	2.5	14.1	32,913	17.7	13.9
2002	62,631	5.9	2.7	13.5	28,074	16.7	13.6
2001	60,806	5.6	2.9	13.2	27,027	16.8	13.2
2000	59,612	5.4	2.8	12.5	26,439	16.4	12.3
1999	61,904	5.2	3.0	11.9	27,970	15.8	11.6
1998	64,959	5.1	3.1	11.2	29,788	15.9	10.6

Gro	wth Indicators	by Ag	e (3)					
	Age and Year *			Heigl	nt and V	Veight		
			Short Stature (4)	Under- weight (5)		(≥ 2 Yrs Overweight (5)	
		Number	% <5th	% <5th	% ≥95th	Number	% 85th-<95th	% ≥95th



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁵⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 7 / 10 / 08

Summary of Trends in Anemia by Age Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)										
Age and Year		Anem Low Hb/	nia /Hct (4)		Age and Year		Anen Low Hb	nia /Hct (4)		
		Number	%				Number	%		
6 - 11 Months					18 - 23 Months					
	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	5,428 5,322 4,249 4,478 4,552 6,406 6,351 8,938 9,986 10,678	13.3 13.3 12.2 13.4 11.5 10.2 12.2 11.8 12.2 13.6			2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	5,668 4,519 4,594 4,813 4,504 4,704 4,246 5,462 5,909 6,284	9.6 11.4 11.0 11.4 11.0 9.7 10.5 9.6 9.0 9.5		
12 - 17 Months	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	10,240 8,070 7,456 7,868 6,081 6,758 6,649 6,118 6,185 6,537	11.3 11.8 12.9 13.5 11.9 11.1 10.5 11.1 10.6 12.0		24 - 35 Months	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	10,790 9,737 9,054 9,777 7,816 8,995 9,403 8,132 8,644 9,108	9.2 10.0 10.6 11.2 11.8 10.3 9.8 10.1 9.2 11.0		



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page:

Run Date: 7 / 10 / 08

Summar C	y of Tre hildren		y Ag (2)	е

Summary of Trends in Anemia by Age (3)									
Age and Year		Anem Low Hb/		Age and Year	Anen Low Hb	nia o/Hct (4)			
		Number	%		Number	%			
36 - 59 Months				Total All Age Groups					
36 - 39 MOTHES	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	17,251 15,924 14,798 15,853 12,220 14,724 13,901 13,628 14,510 15,615	5.8 6.1 6.4 6.7 6.9 5.9 5.8 5.8 5.6 6.3	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	49,377 43,572 40,151 42,789 35,173 41,587 40,550 42,278 45,234 48,222	8.9 9.4 9.7 10.2 10.0 8.8 9.0 9.1 8.9 10.0			
All Other/Unknown	2007 2006 2005 2004 2003 2002 2001 2000 1999 1998	0 0 0 0 0 0	*						



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.